



PENEQT, Oxide Inhibitor, Quart Container

By Burndy
Catalog # [PENEQT](#)

Oxide Inhibiting Electrical Joint Compound, 1 Quart, For Cu-Cu, Cu Conduit Threads & Grounding Applications.



Application

For Copper To Copper

General

Application - For Use On	Copper to Copper
Container Type	Tub
EU RoHS Indicator	Yes
Pour Point	-40 °F
Sub Brand	PENETROX
Temperature - Dropping Point Fahrenheit	350 °F
Trade Name	PENETROX™
Type	E
UPC	781810592946
UPC 12 Digit	7818105929466
Viscosity at 100 Fahrenheit	250 °F

Certifications and Compliance

Certification - CSA Approved	No
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Standards - RoHS Compliance Status	CM
UL Listed	Yes

Logistics

Container Size	1 Quart
Minimum Pack Quantity	1

Product Assets

- [3D Models - PENEQT_MODEL-STEP](#)
- [3D Models - PENEQT_MODEL-IGES](#)
- [3D Models - PENEQT_MODEL-PDF](#)
- [Catalogs - Full Line BURNDY Catalog](#)
- [Sales Drawings - 50016179](#)
- [SDS - PENETROX_E_Polish_GHS](#)
- [SDS - PENETROX E ESPANOL SDS \(GHS\) \(2020-01\)](#)
- [SDS - PENETROX E FRENCH SDS \(GHS\) \(2020-07\)](#)
- [SDS - PENETROX E RUSSIAN SDS \(GHS\) \(2020-07\)](#)
- [SDS - PENETROX E SDS \(GHS\) \(2020-01\)](#)
- [SDS - PENETROX E GERMAN SDS \(GHS\) \(2020-01\)](#)
- [SDS - PENETROX E PORTUGUESE SDS \(GHS\) \(2020-01\)](#)



A proud member of the Hubbell Family.

©2024 Hubbell Incorporated. All rights reserved.
BRDY-PENEQT-SPEC-EN | REV 1/2024