

Product End of Life Instructions

APC Replacement Battery Cartridges



⚠ Potential disassembly risks

The information provided in this document assumes that the product is completely de-energized and uninstalled (refer to the instructions provided in the appropriate product manuals).

Dismantling/disassembling the product may entail hazards caused by, for example, sharp edges, chemical aggression or ejected parts.


⚠ WARNING

HAZARD OF ARC FLASH OR FIRE

- Disconnect battery terminals before disassembly
- Avoid any electrical connection between the terminals

Failure to follow these instructions can result in death or serious injury.

🔧 End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
Potential hazards	1	Battery (Lead-acid) cell	2200	
To be depolluted	2	Cables	-	If provided with Battery
To be depolluted	3	Cap	0.98	

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider electric
Product function	APC Replacement Battery Cartridge, VRLA battery, 7Ah, 12VDC, 2-year warranty
Product reference	APCRBC110
Additional similar product references	<p>APCBAT100AH-A, APCBAT100AH-E, APCBAT26AH-A, APCBAT26AH-E, APCBAT42AH-A, APCBAT42AH-E, APCBAT65AHSMF</p> <p>APCBAT70AH-A, APCBAT70AH-E,APCRBC106, APCRBC107, APCRBC108, APCRBC109, APCRBC109J, APCRBC111J</p> <p>APCRBC113, APCRBC114, APCRBC119, APCRBC120, APCRBC121, APCRBC122J, APCRBC123, APCRBC123J, APCRBC124, APCRBC124J</p> <p>APCRBC130, APCRBC131, APCRBC136, APCRBC137J, APCRBC137J-FJ, APCRBC139J, APCRBC139J-FJ, APCRBC142, APCRBC145J, APCRBC148</p> <p>APCRBC150, APCRBC152, APCRBC153, APCRBC158, APCRBC160, APCRBC161, APCRBC162, APCRBC163, RBC11, RBC11J</p> <p>RBC12, RBC12J, RBC12J-FJ, RBC12J-NM, RBC13, RBC14, RBC17, RBC17J, RBC18, RBC2, RBC25, RBC26, RBC29, RBC3, RBC30</p> <p>RBC32, RBC33, RBC34, RBC34L, RBC34L-NM, RBC35, RBC4, RBC40, RBC46, RBC47, RBC48, RBC48L, RBC48L-FJ, RBC48L-NM, RBC5, RBC55, RBC55J, RBC55J-NM, RBC57J, RBC59</p> <p>RBC6, RBC60, RBC62, RBC63, RBC65, RBC6L, RBC6L-NM, RBC7, RBC7L, RBC7L-FJ, RBC7L-NM, RBC8, RBC9, APCRBC144, APCRBC154</p> <p>APCRBC164, APCRBC165, APCRBC166, APCRBC175, APCRBC176, APCRBC177, APCRBC178, APCRBCV200, APCRBCV201, APCRBCV202</p> <p>APCRBCV203, APCRBCV204, APCRBCV205, APCRBCV206, APCRBCV207, APCRBCV208, APCRBCV209, APCRBCV210, APCRBCV211, APCRBCV212</p> <p>This End of Life Instruction is applicable to any products in the Smart-UPS Ultra Online, Lithium-ion product range Above may not list all applicable products</p>
Total representative product mass	2200 g
Representative product dimensions	105mm X 151mm X 65mm
Accessories	No special accessories needed
Date of information release	4/13/2025

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
In case of special transportation: transportation method	No special transportation is required
Recyclability potential	1% The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
 CS 30323

F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

ENVPEP1512012_V2

ENVPEP1512012_V2

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

14-Apr-25

4/13/2025