

STAINLESS STEEL 90° RIGID ELBOWS

Features:


- Manufactured in both type 304 and 316 stainless steel to meet any stringent sanitary condition
- Polished with standard “brite” finish to increase corrosion resistance and aesthetic appearance
- Threaded both ends
- Threads are protected by color coded plastic caps

Certifications and Compliances:

- UL / cUL 6A Listed
- UL file number - E230584
- Article 344 and Table 2 Chapter 9, “National Electrical Code” (NEC)
- CSA C22.1
- Canadian Electrical Code (CEC), Part 1, Standard for Electrical Installations

Options:

- Degree of bend can be specified to any value between 5° to 90°
- Large-radius elbows also available



Type 304 Part Number	Type 316 Part Number	Size (in)	Radius (in)	Degree of Bend (in)	Tangent (in)	Chord (Diagonal) (in)	Rise (lb)	Offset (in)
S40590EL00	S60590EL00	½ X 90°	4.00	90.00	3.100	10.100	7.500	7.100
S40790EL00	S60790EL00	¾ X 90°	4.50	90.00	2.900	10.400	7.900	7.400
S41090EL00	S61090EL00	1 X 90°	5.80	90.00	3.500	13.000	9.900	9.200
S41290EL00	S61290EL00	1¼ X 90°	7.30	90.00	4.300	16.400	12.400	11.600
S41590EL00	S61590EL00	1½ X 90°	8.30	90.00	5.000	18.700	14.200	13.300
S42090EL00	S62090EL00	2 X 90°	9.50	90.00	4.600	19.900	15.300	14.100
S42590EL00	S62590EL00	2½ X 90°	10.50	90.00	6.500	24.000	18.400	17.000
S43090EL00	S63090EL00	3 X 90°	13.00	90.00	6.800	28.000	21.600	19.800
S44090EL00	S64090EL00	4 X 90°	16.00	90.00	8.400	34.600	26.700	24.400
S45090EL00	S65090EL00	5 X 90°	24.00	90.00	11.200	49.780	37.40	35.20
S46090EL00	S66090EL00	6 X 90°	30.00	90.00	12.600	64.490	48.90	45.60

All dimensions are for informational purposes only *Tolerances +/- 5%



For more info visit atkore.com/calbrite

