






PART



CUTOUT


- NOTES:
1. VISIT OUR ON-LINE CATALOG AT WWW.PANDUIT.COM FOR A LIST OF CURRENT PARTS APPLICABLE FOR USE WITH THIS PRODUCT.
 2. DIMENSIONS IN [] ARE METRIC.
 3. ALL MATERIALS AND COMPONENTS USED MEET THE MATERIAL RESTRICTIONS OF RoHS (EUROPEAN DIRECTIVE 2011/65/EU ON THE RESTRICTION OF HAZARDOUS SUBSTANCES) AS PROPOSED BY THE RoHS TECHNICAL ADAPTATION COMMITTEE.
 4. MATERIAL:
FRAME - ALUMINUM
SEAL - NBR/EPDM
 5. PROTECTION CLASS:
NEMA 1,12
IP 65
 6. TEMPERATURE RANGE: -22 - 194 °F
 7. FLAMMABILITY: HB
 8. UV RESISTANT
 9. RoHS COMPLIANT
 10. COMPLIANCE: UR
 11. WEIGHT: SEE TABLE




PART NUMBER	A	B	INSTALLATION HEIGHT	NUMBER OF OPENINGS		a	b	c	d	e	PART WEIGHT	PKG QTY
	in (mm)	in (mm)	in (mm)	TOTAL	NUMBER X DIA.	in (mm)	in (mm)	in (mm)	in (mm)	in (mm)	lbs. (g)	
CESU2-F25-AL	3.54 (90)	5.67 (144)	0.22 (5.5)	25	9 x 0.12 - 0.2 (9 x 3 - 5)	4.29 (109)	2.80 (71)	1.61 (41)	1.56 (39.5)	0.22 (5.5)	0.463 (210)	1
					16 x 0.16 - 0.31 (16 x 4 - 8)							

PART NUMBER				SEE TABLE							
TITLE											
CESU2-F,H Control Drawing											
CUSTOMER DRAWING											
ITEM REVISION NAME				PANDUIT							
00872EBH/00											
DATASET FILE NAME											
00872EBH_DC/00A											
THIRD ANGLE PROJECTION											
MATERIAL				DRAWING NUMBER							
SEE NOTE 4				00872EBH - DC							
DRAWN BY		DATE		CHK		SCALE		SHEET 1 OF 1		SIZE	
SERH		9/13/2022		SERH		1:1				B	

00A	9/13/2022	SERH	MDS	JADE	INITIAL RELEASE	124032/00
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN




PART




CUTOUT

- NOTES:
1. VISIT OUR ON-LINE CATALOG AT WWW.PANDUIT.COM FOR A LIST OF CURRENT PARTS APPLICABLE FOR USE WITH THIS PRODUCT.
 2. DIMENSIONS IN [] ARE METRIC.
 3. ALL MATERIALS AND COMPONENTS USED MEET THE MATERIAL RESTRICTIONS OF RoHS (EUROPEAN DIRECTIVE 2011/65/EU ON THE RESTRICTION OF HAZARDOUS SUBSTANCES) AS PROPOSED BY THE RoHS TECHNICAL ADAPTATION COMMITTEE.
 4. MATERIAL:
FRAME - ALUMINUM
SEAL - NBR/EPDM
 5. PROTECTION CLASS:
NEMA 1,12
IP 65
 6. TEMPERATURE RANGE: -22 - 194 °F
 7. FLAMMABILITY: HB
 8. UV RESISTANT
 9. RoHS COMPLIANT
 10. COMPLIANCE: UR
 11. WEIGHT: SEE TABLE




PART NUMBER	A	B	INSTALLATION HEIGHT	NUMBER OF OPENINGS		a	b	c	d	e	PART WEIGHT	PKG QTY
	in. (mm)	in. (mm)		TOTAL	NUMBER X DIA.	in. (mm)	in. (mm)	in. (mm)	in. (mm)	in. (mm)	lbs. (g)	
CESU2-F8-AL	3.54 (90)	15.51 (394)	0.22 (5.5)	8	8 x 0.63 - 1.1 (8 x 16 - 28)	14.61 (371)	2.80 (71)	3.74 (95)	1.56 (39.5)	0.22 (5.5)	1.411 (640)	1


00A	9/13/2022	SERH	MDS	JADE	INITIAL RELEASE	124032/00
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN

PART NUMBER				SEE TABLE			
TITLE							
CESU2-F,H Control Drawing							
CUSTOMER DRAWING							
ITEM REVISION NAME							
00872EBH/00							
DATASET FILE NAME							
00872EBH_DC/00A							
				THIRD ANGLE PROJECTION			
MATERIAL				DRAWING NUMBER			
SEE NOTE 4				00872EBH - DC			
DRAWN BY		DATE		CHK		SCALE	
SERH		9/13/2022		SERH		1:1	
SHEET 1 OF 1						SIZE	
						B	

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.





PART




CUTOUT

- NOTES:
1. VISIT OUR ON-LINE CATALOG AT WWW.PANDUIT.COM FOR A LIST OF CURRENT PARTS APPLICABLE FOR USE WITH THIS PRODUCT.
 2. DIMENSIONS IN [] ARE METRIC.
 3. ALL MATERIALS AND COMPONENTS USED MEET THE MATERIAL RESTRICTIONS OF RoHS (EUROPEAN DIRECTIVE 2011/65/EU ON THE RESTRICTION OF HAZARDOUS SUBSTANCES) AS PROPOSED BY THE RoHS TECHNICAL ADAPTATION COMMITTEE.
 4. MATERIAL:
FRAME - STAINLESS STEEL OR ALUMINUM
SEAL - NBR/EPDM
 5. PROTECTION CLASS:
NEMA 1,12
IP 65
 6. TEMPERATURE RANGE: -22 - 194 °F
 7. FLAMMABILITY: HB
 8. UV RESISTANT
 9. RoHS COMPLIANT
 10. STAINLESS STEEL VERSION HAVE INTEGRATED THREADED BOLTS
 11. WEIGHT: SEE TABLE



PART NUMBER	A	B	INSTALLATION HEIGHT	NUMBER OF OPENINGS		a	b	c	d	e	f	PART WEIGHT	PKG QTY
	in (mm)	in (mm)	in (mm)	TOTAL	NUMBER X DIA.	in (mm)	in (mm)	in (mm)	in (mm)	in (mm)	in (mm)	lbs. (g)	
CESU2-F47-AL	3.54 (90)	8.70 (221)	0.22 (5.5)	47	14 X 0.14 - 0.26 (14 x 3.5 - 6.5)	7.56 (192)	2.44 (62)	3.98 (101)	1.42 (36)	0.18 (4.5)	1.50 (38)	0.58 (265)	1
					28 X 0.18 - 0.33 (28 x 4.5 - 8.5)								
					4 X 0.28 - 0.43 (4 x 7 - 11)								
					1 X 0.43 - 0.63 (1 x 11 - 16)								
CESU2-F47-SS	3.54 (90)	8.70 (221)	0.195 (5)	47	14 X 0.14 - 0.26 (14 x 3.5 - 6.5)	7.56 (192)	2.44 (62)	3.98 (101)	1.42 (36)	0.18 (4.5)	1.50 (38)	1.11 (505)	1
					28 X 0.18 - 0.33 (28 x 4.5 - 8.5)								
					4 X 0.28 - 0.43 (4 x 7 - 11)								
					1 X 0.43 - 0.63 (1 x 11 - 16)								

PART NUMBER		SEE TABLE			
TITLE					
CESU2-F,H Control Drawing					
CUSTOMER DRAWING					
ITEM REVISION NAME					
00872EBH/00					
DATASET FILE NAME					
00872EBH_DC/00A					
			THIRD ANGLE PROJECTION		
MATERIAL			DRAWING NUMBER		
SEE NOTE 4			00872EBH-DC		
DRAWN BY	DATE	CHK	SCALE	SIZE	
SERH	9/13/2022	SERH	1:1	SHEET 1 OF 1	
				B	


2




1

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

- NOTES:
- 1. VISIT OUR ON-LINE CATALOG AT WWW.PANDUIT.COM FOR A LIST OF CURRENT PARTS APPLICABLE FOR USE WITH THIS PRODUCT.
 - 2. DIMENSIONS IN [] ARE METRIC.
 - 3. ALL MATERIALS AND COMPONENTS USED MEET THE MATERIAL RESTRICTIONS OF RoHS (EUROPEAN DIRECTIVE 2011/65/EU ON THE RESTRICTION OF HAZARDOUS SUBSTANCES) AS PROPOSED BY THE RoHS TECHNICAL ADAPTATION COMMITTEE.
 - 4. MATERIAL:
FRAME - ALUMINUM
SEAL - NBR/EPDM
 - 5. PROTECTION CLASS:
NEMA 1,12
IP 65
 - 5. TEMPERATURE RANGE: -22 - 194 °F
 - 6. FLAMMABILITY: HB
 - 7. UV RESISTANT
 - 8. RoHS COMPLIANT
 - 9. COMPLIANCE: UR
 - 10. STAINLESS STEEL VERSION HAVE INTEGRATED THREADED BOLTS
 - 11. WEIGHT: SEE TABLE




PART



CUTOUT

PART NUMBER	A	B	INSTALLATION HEIGHT	NUMBER OF OPENINGS		a	b	c	d	e	g	PART WEIGHT	PKG QTY
	in. (mm)	in. (mm)	in. (mm)	TOTAL	NUMBER X DIA.	in. (mm)	in. (mm)	in. (mm)	in. (mm)	in. (mm)	in. (mm)	lbs. (g)	
CESU2-H140-SS	5.87 (149)	21.02 (534)	0.22 (5.5)	140	16 x 0.14 - 0.24 (16 x 3.5 - 6.2)	19.69 (500)	4.53 (115)	10.20 (259)	2.62 (66.5)	0.20 (5)	4.33 (110)	4.3 (1950)	1
					64 x 0.18 - 0.33 (64 x 4.5 - 8.5)								
					36 x 0.24 - 0.39 (36 x 6 - 10)								
					4 x 0.31 - 0.47 (4 x 8 - 12)								
					8 x 0.35 - 0.55 (8 x 9 - 14)								
					8 x 0.55 - 0.71 (8 x 14 - 18)								
					4 x 0.71 - 0.98 (4 x 18 - 25)								



B

B



A

A

PART NUMBER										SEE TABLE																			
TITLE																				CESU2-F,H Control Drawing									
CUSTOMER DRAWING																													
ITEM REVISION NAME										00872EBH/00																			
DATASET FILE NAME										00872EBH_DC/00A																			
										THIRD ANGLE PROJECTION																			
MATERIAL										SEE NOTE 4																			
DRAWING NUMBER										00872EBH-DC																			
DRAWN BY					DATE					CHK					SCALE														
SERH					9/13/2022					SERH					1:1														
SHEET 1 OF 1															SIZE														
															B														

00A	9/13/2022	SERH	MDS	JADE	INITIAL RELEASE	124032/00
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN

2



1

B-SIZE CUSTOMER