

## Product data sheet

### Characteristics

# XVBZ03

Harmony XVB, Fixing base for modular tower lights, plastic, Ø70, 380mm black aluminium support tube + black fixing plate



### Main

Range of Product	Harmony XVB
Accessory / separate part designation	Fixing base
Accessory / separate part category	Mounting and fixing accessories
Accessory / separate part destination	Beacons and indicator banks Ø 70 mm

### Complementary

Accessory / Separate Part Type	Fixing base
Product Compatibility	XVBC. XVBL.
Kit composition	Ø 25 mm aluminium support tube Black plastic fixing plate
Height under base unit	14.96 in (380 mm)
Color	Black aluminium
Net Weight	0.44 lb(US) (0.2 kg)

### Ordering and shipping details

Category	22616-XVE OPTIMUM STACKLIGHTS
Discount Schedule	XV
GTIN	3389110673616
Nbr. of units in pkg.	1
Package weight(Lbs)	6.53 oz (185.0 g)
Returnability	Yes
Country of origin	CZ

### Packing Units

Unit Type of Package 1	PCE
Package 1 Height	2.87 in (7.3 cm)
Package 1 width	4.57 in (11.6 cm)
Package 1 Length	18.70 in (47.5 cm)
Unit Type of Package 2	P06
Number of Units in Package 2	200
Package 2 Weight	106.57 lb(US) (48.34 kg)
Package 2 Height	30.31 in (77 cm)
Package 2 width	31.50 in (80 cm)
Package 2 Length	23.62 in (60 cm)
Unit Type of Package 3	S04
Number of Units in Package 3	50
Package 3 Weight	21.96 lb(US) (9.96 kg)
Package 3 Height	11.81 in (30 cm)

Package 3 width	15.75 in (40 cm)
Package 3 Length	23.62 in (60 cm)


## Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

## Contractual warranty

Warranty	18 months
----------	-----------

Dimensions and Mounting



Height under base unit	
b in mm	b in in.
380	14.96

---

Panel Cut-Out

---

