

Eaton LTB15045GC

Catalog Number: LTB15045GC

Eaton Crouse-Hinds series Liquidator liquidtight connector, FMC, 45° angle, Copper ground lug, Insulated, #4-14 AWG lug size, Malleable iron, 1-1/2"



General specifications

| Product Name | Catalog Number |
|--|----------------|
| Eaton Crouse-Hinds series Liquidator liquidtight connector | LTB15045GC |
| | UPC |
| | 784564253163 |
| Product Length/Depth | Product Height |
| 3.75 in | 3.75 in |
| Product Width | Product Weight |
| 2.44 in | 1.12 lb |

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

Product specifications

Conduit type

FMC

Connector type

45° angle

Material

Malleable iron

Insulator

Insulated

Trade size

1-1/2"

Ground lug material

Copper

Lug size

#4-14 AWG

Resources

3D CAD drawing package

[Eaton Crouse-Hinds LTB15045GC 3D drawing](#)

Catalogs

[Crouse-Hinds series Malleable and Aluminum Liquidtight Fittings catalog page](#)

Certification reports

[Metallic Liquidtight Fittings UL certification](#)

[Metallic Liquidtight Fittings Canadian certification](#)

Specifications and datasheets

[Eaton Specification Sheet - LTB15045GC](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)