

ZCKE055

Limit switch head, Limit switches XC Standard,
ZCKE, without lever left and right actuation,
+120 Å°C

Main

| | |
|----------------------------|--|
| Range of Product | Telemecanique Limit switches XC Standard |
| Series name | Standard format |
| Product or Component Type | Limit switch head |
| Device short name | ZCKE |
| Head type | Rotary head |
| Product Compatibility | XCKJ |
| Associated lever | ZCKY52 ZCKY11 ZCKY43 ZCKY59 ZCKY81 ZCKY41 ZCKY14 ZCKY91 ZCKY53 ZCKY13 ZCKY51 |
| Associated body | ZCKJ7H29 ZCKJ6H29 ZCKJ404H7 ZCKJ9H7 ZCKJ11H7 ZCKJ41 ZCKJ6H7 ZCKJ11 ZCKJ7H7 ZCKJ9H29 ZCKJ2H7 ZCKJ4104H7 ZCKJD39 ZCKJD35H7 ZCKJD31H7 ZCKJ7 ZCKJ1H7 ZCKJ21 ZCKJ8 ZCKJ21H7 ZCKJ8H29 ZCKJ4H29 ZCKJD35H29 ZCKJ5H7 ZCKJD39H7 ZCKJ8H7 ZCKJ5H29 ZCKJ4H7 ZCKJD35 ZCKJ1H29 ZCKJ21H29 ZCKJ9 ZCKJD37 ZCKJ6 ZCKJ41H7 ZCKJD37H29 ZCKJ2 ZCKJ4104H29 ZCKJD37H7 ZCKJD31 ZCKJ2H29 ZCKJ5 ZCKJ4 ZCKJ1 ZCKJ41H29 ZCKJ4104 ZCKJD31H29 ZCKJ11H29 ZCKJ404H29 ZCKJD39H29 ZCKJ404 |
| Movement of operating head | Rotary |

| | |
|------------------|---|
| Type of operator | Without operating lever spring return |
| Type of approach | Lateral approach, 1 or 2 programmable direction |

Complementary

| | |
|------------------|---|
| Switch actuation | From left and/or right CW and/or CCW |
| Positive opening | With |
| Net Weight | 0.364 lb(US) (0.165 kg) |
| Head material | Metal |

Environment

| | |
|---------------------------------------|---------------------------|
| Ambient Air Temperature for Operation | 50...248 °F (10...120 °C) |
| Ambient Air Temperature for Storage | 50...248 °F (10...120 °C) |
| Environmental characteristic | High temperature |


Ordering and shipping details

| | |
|-------------------|---------------|
| Category | US1000T22411 |
| Discount Schedule | 000T |
| GTIN | 3389110599374 |
| Returnability | Yes |
| Country of origin | US |

Packing Units

| | |
|------------------------------|--------------------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 1.57 in (4.000 cm) |
| Package 1 Width | 2.44 in (6.200 cm) |
| Package 1 Length | 4.49 in (11.400 cm) |
| Package 1 Weight | 5.996 oz (170.000 g) |
| Unit Type of Package 2 | S01 |
| Number of Units in Package 2 | 27 |
| Package 2 Height | 5.91 in (15.000 cm) |
| Package 2 Width | 5.91 in (15.000 cm) |
| Package 2 Length | 15.75 in (40.000 cm) |
| Package 2 Weight | 10.873 lb(US) (4.932 kg) |

Offer Sustainability

| | |
|----------------------------|---|
| SCIP Number | 31c42219-258d-41c8-b5b4-4120dfd2912a |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| RoHS exemption information |  Yes |
| Circularity Profile | No need of specific recycling operations |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|