


Product End of Life Instructions

D frame SERIES 300 Power Transfer Switches





End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Other battery	2.899	
To be depolluted	2	Cable (Optical)	40.8	
To be depolluted	3	Electronic Board (Communication) > 10cm ²	225.47	
To be depolluted	4	Liquid and pasty substances	0.5	



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	ASCO
Product function	Automatically transfer critical loads between power sources in the event of a power outage
Product reference	D03ATS
Additional similar product references	D03ATS
Total representative product mass	25500 g
Representative product dimensions	787 x 457 x 330
Accessories	NO
Date of information release	09/2021



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	No	
Recyclability potential	66%	Based on “ECO'DEEE recyclability and recoverability calculation method” (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.schneider-electric.com/contact>

35, rue Joseph Monier
 CS 30323
 F- 92506 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 896 313 776 €

www.schneider-electric.com

ENVEOLI2109019_V1

Published by Schneider Electric
 © 2019 - Schneider Electric – All rights reserved

09/2021