

Nylon Ring Terminal For 16 - 14 AWG

By Burndy
Catalog # [YAES14N8](#)



Nylon Insulated Cu Terminal, #16 - #14 AWG STR, L Max.: .89 IN.

Application

For use on copper compression connections

General

Color Code	Blue
Connector Type	Ring Terminal
EU RoHS Indicator	Yes
Insulation	Y
Insulation Type	Nylon
Material	Copper
Military Specification	MS25036
Physical Attribute - Number of Holes	1
Physical Attribute - Tongue Type	Ring
Plated	Y
Plating Type	Tin
Sub Brand	INSULUG
Trade Name	INSULUG™
Type	YAES
UPC	781810804780
UPC 12 Digit	7818108047800

Dimensions

Dimension - Bolt Size fraction	#8 - #10
Dimension - G inch	0.2 in
Dimension - Length Overall inch	0.91 in
Dimension - Outside Diameter inch	0.28 in
Dimension - Strip Length inch	7/32 in
Dimension - Stud Size inch	#8 - #10
Dimension - Width inch	0.31 in

Electrical Ratings

Voltage - Maximum	600 V
-------------------	-------

Conductor Related

Conductor - Copper Str Size	16 AWG;14 AWG
Conductor - Copper Str Size Range	16 AWG-14 AWG
Conductor Size	16 - 14 AWG
Conductor Type	CU C Str-Size

Certifications and Compliance

Certification - CSA Approved	Yes
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Industry Standard(s)	<ul style="list-style-type: none"> • UL486 • Military Specified (Mil-Spec)
Standards - Industry Standards Met	UL486
Standards - RoHS Compliance Status	CM
UL Listed	Yes

Logistics

Carton Quantity	1000
Minimum Pack Quantity	1000
Pallet Quantity	99999

Product Assets

[3D Models - YAES14N8_MODEL-IGES](#)
[3D Models - YAES14N8_MODEL-PDF](#)
[3D Models - YAES14N8_MODEL-STEP](#)
[Catalogs - Full Line BURNDY Catalog](#)
[Sales Drawings - 50094155](#)
[Technical Solutions - BURNDY_YAES14N8_Specsheet](#)

