



Plastic Wire Bushings for Class 2 Wire

The attractive way to install low voltage wire through drywall



Get a great-looking job and easy, smooth insertion of cable through drywall with Arlington's new plastic **WIRE BUSHINGS!**

Offered in four sizes, these bushings offer quick installation




Make opening in drywall with a hole saw or drill bit

with a drill bit or a hole saw – and easy entry and exit of low voltage cable or speaker wire through drywall.

- Finishes cut edges of opening in drywall – looks better than an unfinished opening
- Paintable white plastic
- Four hole sizes:
 - WB500** .500"
 - WB875** .875"
 - WB112** 1.125"
 - WB200** 2.0"



1 Make opening the desired size



2 Unfinished opening in drywall



3 Insert bushing



4 Tighten with channel lock pliers

CATALOG NUMBER	UPC/DCI/NAED MFG #01 8997	HOLE SIZE*	SIZE OF OPENING	STD PKG
WB500	52950	0.500	.43	100
WB875	52951	0.875	.75	100
WB112	52952	1.125	1.00	50
WB200	52953	2.00	1.875	50

* Drill bit or hole saw size

The attractive way to finish cut edges of drywall!



1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com
www.arlnew.com/wb


More Non-Metallic Bushings

For Installations of Class 2 Wire in Metal Studs


Our patented non-metallic **SB13** bushings fit existing irregular shaped holes in metal studs. They alleviate the need to punch holes in the studs, and the possibility of weakening the structural member.

Catalog Number	UPC/DEI/NAED Mfg. #018997	Stud Size	Std Pkg
SB13	40115	2 x 4	500
SB130	40130	2 x 4	100

FITS A STANDARD 1" KNOCKOUT



SB13



Installation in irregular hole

Pass one end of the joined connector through the hole in the stud. Snap the bushing and the washer ends together. There's no need to separate the two halves. If a punched hole is required, the **SB13** can be installed in a standard 1" trade size, round punched hole (1-3/8" diameter). Snap the bushing end into the hole.

All-plastic, these snap-in type bushings protect cable as it runs through the knockouts in metal studs.

CATALOG NUMBER	UPC/DCI/NAED MFG #01 8997	TRADE SIZE	UNIT PKG	STD PKG
4400	04400	1/2	100	1000
4401	04401	3/4	100	1000
4402	04402	1	50	500
4403	04403	1-1/4	25	250
4404	04404	1-1/2	25	250
4405	04405	2	20	200
4406	04409	2-1/2	20	200



4400



1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com
www.arlnew.com/wb

Patents pending
WB 1109/50M

Distributed by