

# 12V 50W 1 Light Accent Light Textured Architectural Bronze

15374AZT (Textured Architectural Bronze)



Project Name: \_\_\_\_\_  
Location: \_\_\_\_\_  
Type: \_\_\_\_\_  
Qty: \_\_\_\_\_  
Comments: \_\_\_\_\_

## Certifications/Qualifications

[www.kichler.com/warranty](http://www.kichler.com/warranty)

## Dimensions

|        |       |
|--------|-------|
| Height | 3.00" |
| Length | 7.50" |
| Width  | 3.00" |

## Electrical

|         |      |
|---------|------|
| Voltage | 12VV |
|---------|------|

## Mounting/Installation

|                  |    |
|------------------|----|
| Lead Wire Length | 31 |
|------------------|----|

## Primary Lamping

|                        |              |
|------------------------|--------------|
| Lamp Included          | Not Included |
| Lamp Type              | MR16         |
| Light Source           | Incandescent |
| Max or Nominal Watt    | 50W          |
| # of Bulbs/LED Modules | 1            |







## Product/Ordering Information

|        |              |
|--------|--------------|
| SKU    | 15374AZT     |
| Finish | Bronze       |
| UPC    | 783927187763 |

## Specifications

|                      |                                 |
|----------------------|---------------------------------|
| Diffuser Description | Heat Resistant Clear Flat Glass |
| Material             | Aluminum                        |

## Additional Finishes

|  |                               |
|--|-------------------------------|
|  | Beach                         |
|  | Textured Architectural Bronze |
|  | Textured Architectural Bronze |
|  | Textured Architectural Bronze |
|  | Textured Black                |
|  | Textured Black                |

### Kichler

7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010  
Toll free: 866.558.5706 or [kichler.com](http://kichler.com)

### Notes:

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.  
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

**KICHLER**®