

# HARD HATS, CAPS & ACCESSORIES



**KLEIN  
TOOLS®**

# Hard Hats & Caps

## V-Gard® Cap and Hat

- Polyethylene shell with 4-point Fas-Trac® ratcheting suspension.
- Standard size fits head sizes 6 - 8.
- Cap and Full-Brim Hat style available.
- Three branding choices: plain front, Klein Tools Lineman Logo, Klein Tools Standard Logo.
- Three color choices: White, Yellow, and Blue.
- Type I helmet meets or exceeds ANSI Z89.1-2003 and CSA Z94.1-2005 specifications for Class E.
- Third Party Certified by Safety Equipment Institute.
- Full line of accessories designed specifically for the V-Gard® Cap and Hat are available.

V-Gard® and Fas-Trac® are registered trademarks of MSA, the safety company.






Available in three colors



60031



60023

Front logo	none								<b>KLEIN TOOLS</b>			
Style	Cat. No.	UPC No. 0-92644+	Color	Weight (lbs.)	Cat. No.	UPC No. 0-92644+	Color	Weight (lbs.)	Cat. No.	UPC No. 0-92644+	Color	Weight (lbs.)
	60016	60016-6	white	.86	60019	60019-7	white	.86	60022	60022-7	white	.86
	60017	60017-3	yellow	.86	60020	60020-3	yellow	.86	60023	60023-4	yellow	.86
	60018	60018-0	blue	.86	60021	60021-0	blue	.86	60024	60024-1	blue	.86
	60028	60028-9	white	.95	60031	60031-9	white	.95	60034	60034-0	white	.95
	60029	60029-6	yellow	.95	60032	60032-6	yellow	.95	60035	60035-7	yellow	.95
	60030	60030-2	blue	.95	60033	60033-3	blue	.95	60036	60036-4	blue	.95
Back Logo	All V-Gard helmet backs contain the Klein logo with American flag (pictured blue hard hat in square). Logo color varies depending on shell color.											

## Advance® Cap


- Vented style provides cooling vents for improved air circulation and comfort.
- Glaregard™ under the brim reduces reflective glare.
- Lateral contours above the ear for easy integration of hearing protection.
- Polyethylene shell with 4-point Fas-Trac® ratcheting suspension.
- Lightweight design for added comfort.
- Standard size fits head sizes 6 - 8.
- Branding: Plain front with Klein Tools Logo and American Flag on the back of the cap.
- Three color choices: White, Yellow, and Blue
- Type I helmet meets or exceeds ANSI Z89.1-2003 and CSA Z94.1-2005 specifications for Class C.
- Third Party Certified by Safety Equipment Institute.
- Full line of accessories designed specifically for the Advance® Cap.



Available in three colors



60027



Cat. No.	UPC No. 0-92644+	Color	Weight (lbs.)
60025	60025-8	white	.84
60026	60026-5	yellow	.84
60027	60027-2	blue	.84

All Advance® cap backs contain the Klein logo with American flag (pictured blue hard hat in square). Logo color varies depending on shell color.

Glaregard™ is a trademark of, and Advance®, Fas-Trac® are registered trademarks of MSA, the safety company.

**⚠WARNING:** It is important that users of these products read, understand, and follow all instructions, cautions, and warnings that are attached to and/or packed with the product.



## Hard Hats &amp; Caps

Skullgard® –  
Cap and Hat

- Heavy-duty construction for use in steel mills and other heavy industries where elevated temperatures are common.
- Resin shell with 4-point Fas-Trac® ratcheting suspension.
- Standard size fits head sizes 6 - 8.
- Cap and hat styles available.
- Branding is not available.
- Traditional tan color.
- Type I helmet meets or exceeds ANSI Z89.1-2003 and CSA Z94.1-2005 specifications for Class G.
- Third Party Certified by Safety Equipment Institute.
- Full line of accessories available that are designed specifically for the Skullgard® cap and hat.



60038

Cat. No.	UPC No. 0-92644+	Type	Color	Weight (lbs.)
60037	60037-1	cap	tan	.93
60038	60038-8	hat	tan	1.03

Skullgard® is a registered trademark of MSA, the safety company.

Western  
Outlaw Hat

60039

- Wide brim provides protection from the sun, rain, heat, and glare.
- Comfortable Western style design.
- 4-point ratcheting suspension.
- Standard size comfortably fits head sizes up to 7-1/4.
- Type I helmet meets or exceeds ANSI Z89.1-2003 specifications for Class E.
- Branding: Klein Tools logo on the front of the hat.
- Classic tan color.
- Accessories not available.

Cat. No.	UPC No. 0-92644+	Type	Color	Weight (lbs.)
60039	60039-5	Western Hat	tan	1.24

## Accessories

## V-Gard®, Advance® and Skullgard® Accessories



59992



59981



59983

59991



59994

Cat. No.	UPC No. 0-92644+	Description	Weight (oz.)
<b>Replacement Suspension - Standard Size</b>			
59980	59980-4	V-Gard® Fas-Trac® - 4-point ratcheting	3.9
59981	59981-1	V-Gard® Swing - 4-point ratcheting	4.5
59982	59982-8	Advance® Cap Fas-Trac® - 4-point ratcheting	3.9
<b>Defender® + Faceshield Frames (All frames meet Z87.1-2003)</b>			
59983	59983-5	Frame for V-Gard® Cap w/Lockdown Clip on Brim	2.9
59984	59984-2	Frame for V-Gard® Cap and Advance Cap w/o Lockdown Clip	2.8
59985	59985-9	Plus Universal Foldback Frame-dielectric for caps	2.9
59986	59986-6	Plus Universal Foldback Frame-dielectric for hats	3.2
<b>Visors (All visors meet Z87.1-2003, Arc Shields meet NFPA 70E, Class 2)</b>			
59987	59988-0	Polycarbonate Visor - Clear Formed 8" X 16" X 0.040"	3.5
59988	59987-3	Polycarbonate Visor - Clear Flat 8" X 15-1/2" X 0.040"	4.3
59989	59989-7	Arc Shield Visor - tinted (light green) HIGH-IMPACT 10 Cal 10"X20"X0.60" propionate	7.5
59990	59990-3	Arc Shield Visor - tinted (light green) HIGH-IMPACT 10" X 20" X 0.60" propionate complete w/ chin guard, 14 Cal - Z87 Basic Impact	9.5

Cat. No.	UPC No. 0-92644+	Description	Weight (oz.)
<b>Sound Protection (Meets ANSI S3.19-1974, CSA Class A &amp; EN352-3)</b>			
59991	59991-0	Sound Blocker 26 (26 NRR) (includes clips for Defender + Frame)	11.5
59992	59992-4	Sound Control HPE (27 NRR) complete with brackets	12.0
<b>Comfort Sweatband</b>			
59993	59993-4	Custom Terri-Band Sweatband (pkg of 10)	7.7
<b>Sunshields</b>			
59994	59994-1	Standard V-Gard® Cap ONLY	3.4
59995	59995-8	Standard V-Gard® Hat ONLY	3.2
59996	59996-5	Advance® Cap	3.4
<b>Hoodliners</b>			
59997	59997-2	Quilted Nylon with Fleece Liner	3.0
59998	59998-9	Deluxe Fleece Liner - Shoulder Length	2.3
59999	59999-6	Thinsulate™ Winter Liner - Shoulder Length	6.2
<b>Chinstrap</b>			
60000	60000-5	Elastic (attaches to suspension)	1.0

V-Gard®, Advance®, Fas-Trac®, and Defender® are registered trademarks of MSA, the safety company. Thinsulate™ is a trademark of 3M. Accessories sold separately.

**⚠WARNING:** It is important that users of these products read, understand, and follow all instructions, cautions, and warnings that are attached to and/or packed with the product.

## Hard Caps

### Hard Caps and Accessories

- High-density polyethylene hard caps meet ANSI Z89.1–2003 specifications for Class G.
- Unique nape strap holds hat firmly in place.
- Washable, shrink-and stretch-proof straps and bands.
- Porous brow pad promotes ventilation for comfort.
- Standard size fits head sizes 6 - 8.
- Full 6-point ratcheting suspension.
- Headband clips help hold goggles in place over eyes or on front of cap.
- Rain trough helps keep neck dry.
- Slots at sides for attaching Cat. No. 60060 face shield and other protective gear. Requires 61970 universal slot adapter.

Available in three colors



60010

Cat. No.	UPC No. 0-92644+	Description	Color	Weight (lbs.)
60009	60009-8	Hard cap	white	.85
60010	60010-4	Hard cap	yellow	.85
60011	60011-1	Hard cap	blue	.85
<b>Replacement Suspension</b>				
60013	60013-5	6-point suspension for Cat. Nos. 60009, 60010, 60011		.15
60500	60500-0	6-point ratcheting suspension for Cat. Nos. 60009, 60010, 60011		.25

Cat. No.	UPC No. 0-92644+	Description	Weight (lbs.)
<b>Chin Strap</b>			
C60012	60014-2	chin strap	.05
<b>Hoodliner</b>			
60015	60015-9	winter hard-cap liner, one size fits all	.15
<b>Face Shield</b>			
61970	61970-0	universal slot adapter	.13
60060	60060-9	full face shield	1.45

#### Scope of Z89.1 - 2003 American National Standard for Head Protection

The most recent standard was approved in July 2003 and continues to cover requirements for two types of impact-resistant helmets:

##### TYPE I (Top Impact)

Helmets intended to reduce the force of an impact to the top of a wearer's head.

##### TYPE II (Top and Lateral Impact)

Helmets intended to reduce the force of an impact resulting from a blow received off-center or to the top of a wearer's head. The new standard's performance requirements for Type I and Type II Helmets are equivalent to those specified in the 1998 revision.

#### Electrical Performance

##### CLASS E (Electrical)

Helmets intended to reduce the danger of exposure to high-voltage electrical conductors, proof-tested at 20,000 volts.

##### CLASS G (General)

Helmets intended to reduce the danger of exposure to low-voltage electrical conductors, proof-tested at 2,200 volts.

##### CLASS C (Conductive)

Helmets not intended to provide protection from electrical conductors. The electrical performance requirements in the 2003 standard are identical to those in the 1997 standard.

## Other Personal Protective Equipment Also Available



40052



60049



60080



60040



60060

Please see your Klein Tools Distributor or visit [www.kleintools.com](http://www.kleintools.com)

**WARNING:** It is important that users of these products read, understand, and follow all instructions, cautions, and warnings that are attached to and/or packed with the product.

**KLEIN TOOLS**



© 2007 Klein Tools, Inc.  
Lincolnshire, IL 60069-1418

[www.kleintools.com](http://www.kleintools.com)

Supplement J to Catalog 150 Rev. 12.07  
Printed in U.S.A. 98594