

VerifEye™ Series 2000 Multiple Meter Unit



DEFINITION

The Leviton VerifEye™ Series 2000 Meter Multiple Meter Units (MMUs) are designed for commercial and industrial multi-tenant submetering applications in which multiple three phase loads (120/208V or 277/480V) are fed from the same or adjacent power distribution panels to be metered.

MMUs have important advantages over multiple individually housed meters including:

- Smaller wall space requirements
- Reduced hardware requirements (conduit, wire, short circuit protection devices, etc.)
- Reduced installation time
- Individual meters wired in one enclosure enhances product reliability

Each Series 2000 kWh/Demand* Meter installed in an MMU is a revenue-grade**, ANSI C12.1 compliant energy meter that is backed by Leviton's best in the industry 10-year warranty.

*Demand functionality is optional on Series 2000 meters

**Leviton Solid Core Current Transformers are recommended for revenue-grade metering

Series 2000 MMUs are suitable for indoor installations. Each meter has built-in pulse outputs for connection to Automatic Meter Reading equipment, as well as a large on-site LCD display.

Suitable for both new construction and retrofit applications, Series 2000 MMUs are available in 3 sizes:


- **Medium:** Houses 2 to 4 Series 2000 kWh/Demand meters
- **Large:** Houses 5 to 8 Series 2000 kWh/Demand meters
- **Extra-Large:** Houses 9 to 16 Series 2000 kWh/Demand meters

Leviton MMU configuration forms provide the factory with build information such as power distribution information, amperage ratings, and MMU and meter labeling information.


Upgradable plug and play option: provides the option for user to add meters to the MMU in the field. To facilitate future addition of meter PCAs, "Meter Blanks" must be installed at the factory. A "Meter Blank" includes all the supporting components for a meter, including display, wire harnesses, labels, hardware, etc.; everything except the meter PCA. A "Meter Blank" is not the same thing as an empty position in an MMU.

PRODUCT DATA


MEDIUM SERIES 2000 MMU DIMENSIONS



LARGE SERIES 2000 MMU DIMENSIONS



EXTRA-LARGE SERIES 2000 MMU DIMENSIONS



NOTE: Overall depth of all MMU enclosures is 3.85 in (97.79mm).

VerifEye™ Series 2000 Multiple Meter Unit

PRODUCT DATA



ORDERING INFORMATION*

| Voltage | Description | Cat. No. |
|---|-------------------------|-----------|
| MEDIUM SERIES 2000 MMU, 2-4 METERS | | |
| 120/208V 3PH 4W | 2 Three Element Meters | 2M202-CFG |
| | 3 Three Element Meters | 2M203-CFG |
| | 4 Three Element Meters | 2M204-CFG |
| 277/480V 3PH 4W | 2 Three Element Meters | 2M402-CFG |
| | 3 Three Element Meters | 2M403-CFG |
| | 4 Three Element Meters | 2M404-CFG |
| LARGE SERIES 2000 MMU, 5-8 METERS | | |
| 120/208v 3PH 4W | 5 Three Element Meters | 2L205-CFG |
| | 6 Three Element Meters | 2L206-CFG |
| | 7 Three Element Meters | 2L207-CFG |
| | 8 Three Element Meters | 2L208-CFG |
| 277/480V 3PH 4W | 5 Three Element Meters | 2L405-CFG |
| | 6 Three Element Meters | 2L406-CFG |
| | 7 Three Element Meters | 2L407-CFG |
| | 8 Three Element Meters | 2L408-CFG |
| EXTRA-LARGE SERIES 2000 MMU, 9-16 METERS | | |
| 120/208v 3PH 4W | 9 Three Element Meters | 2X209-CFG |
| | 10 Three Element Meters | 2X210-CFG |
| | 11 Three Element Meters | 2X211-CFG |
| | 12 Three Element Meters | 2X212-CFG |
| | 13 Three Element Meters | 2X213-CFG |
| | 14 Three Element Meters | 2X214-CFG |
| | 15 Three Element Meters | 2X215-CFG |
| | 16 Three Element Meters | 2X216-CFG |
| 277/480V 3PH 4W | 9 Three Element Meters | 2X409-CFG |
| | 10 Three Element Meters | 2X410-CFG |
| | 11 Three Element Meters | 2X411-CFG |
| | 12 Three Element Meters | 2X412-CFG |
| | 13 Three Element Meters | 2X413-CFG |
| | 14 Three Element Meters | 2X414-CFG |
| | 15 Three Element Meters | 2X415-CFG |
| | 16 Three Element Meters | 2X416-CFG |

The following products are also part of the Leviton line of integrated metering solutions:

- Series 1000 Meters
- Series 3300/3500 Smart Meters
- Series 4000 Industrial ModBus Meters
- Series 8000 Meters
- EMH+ Integrated Meter & Hub
- 0.5% Mini Meters
- Multiple Meter Units (MMUs)
- Current Transformers (CTs)
- Energy Management Hub (EMH)
- BilSuite
- Building Manager Online (BMO) 2.0
- Energy Manager Monitoring Software

NOTE: All MMU orders require submittal of a Configuration Form. Please visit www.leviton.com/meters to download and submit.

*Current transformers (CTs) sold separately; see the Leviton CT data sheet for ordering information.

VeriEye™ Series 2000 Multiple Meter Unit

Leviton Mfg. Co., Inc. Lighting & Energy Solutions

20497 SW Teton Avenue, Tualatin, OR 97062 • 1-800-736-6682 • Fax: 503-404-5594 • Tech Line (6:00AM-4:00PM P.S.T. Mon-Fri): 1-800-959-6004

Leviton Manufacturing Co., Inc. Global Headquarters

201 N. Service Rd. Melville, NY 11747-3138 • Tech Line: 1-800-824-3005 • Fax: 1-800-832-9538

Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 • Telephone: 1-800-469-7890 • FAX: 1-800-563-1853

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 • Tel. (+52) 55-5082-1040 • FAX: (+52) 5386-1797 • www.leviton.com.mx

Visit our Website at: www.leviton.com/les

© 2014 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice..

G-8796B/J14-aa
REV OCT 14