



High Output T12

F48T12/CW/HO ALTO 15PK

Philips T12 fluorescent lamps provide high performance in a wide range of sizes, shapes, and types.

Product data

| General Information | | Operating and Electrical | |
|------------------------------------|--|---------------------------------|------------------------|
| Cap-Base | R17D [R17d (RDC)] | Power (Rated) (Nom) | 60 W |
| Life 3-Hr Start [Hrs] | 12000 h | Mechanical and Housing | |
| Features | ALTO® (ALTO) | Cap-Base Information | Green Base |
| Footnotes Fluorescent/CFL 1 | Approximate initial lumens are for 800 ma. operation. For 1000 ma. operation, lumens are approximately 10% higher and watts approximately 15% higher. (207) | Nominal Length (Inch) | 48 |
| Footnotes Fluorescent/CFL 2 | Econ-o-watt® lamps are only recommended for use on high power factor lead, indoor ballasts that meet ANSI standards. The lamps are not recommended for use in drafty areas, or locations where the ambient temperature is less than 60°F, except as noted. Also they should not be operated on low power factor ballasts, reduced light or reduced current ballasts, dimming ballasts or emergency system inverter ballasts. (214) | Approval and Application | |
| | | Energy Saving Product | Not Applicable |
| | | Mercury (Hg) Content (Nom) | 3.5 mg |
| | | Product Data | |
| | | Order product name | F48T12/CW/HO ALTO 15PK |
| | | EAN/UPC - Product | 046677369781 |
| | | Order code | 369785 |
| | | Numerator - Quantity Per Pack | 1 |
| | | Numerator - Packs per outer box | 15 |
| | | Material Nr. (12NC) | 927890203305 |
| | | Net Weight (Piece) | 0.001 kg |
| Light Technical | | | |
| Color Code | 33 | | |
| Initial lumen (Nom) | 4050 lm | | |
| Color Designation | Cool White (CW) | | |
| Design Mean Lumens | 3500 lm | | |
| Correlated Color Temperature (Nom) | 4100 K | | |
| Color Rendering Index (Nom) | 62 | | |

High Output T12


Warnings and Safety

- Lamp contains mercury. Manage in Accord with Disposal Laws. See: www.lamprecycle.org or 1-800-555-0050

Dimensional drawing

Product

F48T12/CW/HO ALTO 15PK



T12 Revised Double Contact

F48T12 60W/33 HO ALTO

