

Antenna cable - RAD-CAB-PFP240-10 - 5606124

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)


Antenna cable, outside diameter: 6 mm (0.24 in.), inner conductor: solid, attenuation: 1.0 / 1.5 / 2.1 dB at 0.9 / 2.4 / 5.8 GHz, connection: 2x N (male), cable length: 3 m (10 ft.)



Your advantages

- For outdoor installation
- UV resistant

Key Commercial Data

| | |
|--------------|---|
| Packing unit | 1 pc |
| GTIN |  4 046356 685399 |
| GTIN | 4046356685399 |

Technical data

Dimensions

| | |
|--------------------|-----|
| Fixed cable length | 3 m |
|--------------------|-----|

Ambient conditions

| | |
|---|------------------|
| Ambient temperature (operation) | -40 °C ... 85 °C |
| Ambient temperature (storage/transport) | -40 °C ... 70 °C |

General

| | |
|------------------------|----------------------|
| Connection 1 | Connector connection |
| Connection method | Type N (male) |
| Note | Both sides |
| Cable type | PFP-240 |
| External sheath, color | black |
| Frequency range | 400 MHz ... 5.8 GHz |
| Impedance | 50 Ω |

Attenuation

Antenna cable - RAD-CAB-PFP240-10 - 5606124

Technical data

Attenuation

| | |
|---------------|--------|
| 868 / 900 MHz | 1 dB |
| 2.4 GHz | 1.5 dB |
| 5 GHz | 2.1 dB |

Environmental Product Compliance

| | |
|------------|---|
| China RoHS | Environmentally Friendly Use Period = 50 years |
| | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" |

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27250313 |
| eCl@ss 4.1 | 27250313 |
| eCl@ss 5.0 | 19070102 |
| eCl@ss 5.1 | 19070100 |
| eCl@ss 6.0 | 19070100 |
| eCl@ss 7.0 | 19070102 |
| eCl@ss 8.0 | 27060310 |
| eCl@ss 9.0 | 27060310 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC001698 |
| ETIM 4.0 | EC000019 |
| ETIM 5.0 | EC001682 |
| ETIM 6.0 | EC001682 |
| ETIM 7.0 | EC001682 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 43171611 |
| UNSPSC 7.0901 | 43221706 |
| UNSPSC 11 | 43171611 |
| UNSPSC 12.01 | 43221706 |
| UNSPSC 13.2 | 26121606 |
| UNSPSC 18.0 | 26121606 |
| UNSPSC 19.0 | 26121606 |
| UNSPSC 20.0 | 26121606 |
| UNSPSC 21.0 | 26121606 |

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>