

# Rittal – The System.

Faster – better – everywhere.

## ► Speed Control For filter fans and air/air heat exchangers – SK 3120.200

Date : May 29, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Speed Control For filter fans and air/air heat exchangers – SK 3120.200

created: 29.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

<b>Description:</b>	Temperature-dependent speed control for noise reduction and energy conservation in part-load operation.
<b>Technical specifications:</b>	For mounting on a 35 mm support rail EN 50 022 Phase cross-over with microcontroller Maximum fan output 300 W or 2 A
<b>Supply includes:</b>	Speed Control NTC sensor, length 1.80 m
<b>Note:</b>	Only suitable for use with single-phase AC motors and equipment Not suitable for EC motors

## Product features

<b>Rated operating voltage:</b>	100 V - 230 V
<b>Dimensions:</b>	Height: 90.5 mm (3.6 ") Width: 105 mm (4.1 ") Depth: 60.2 mm (2.4 ")
<b>Temperature range:</b>	Setting range: +20°C...+55°C
<b>Speed:</b>	100 %
<b>Packaging unit:</b>	1 pc(s).

<b>Weight/packaging unit:</b>	0.36 kg (0.8 lb.)
<b>EAN:</b>	4028177631441
<b>Customs tariff number:</b>	90291000
<b>ETIM 6.0:</b>	EC000256
<b>ETIM 5.0:</b>	EC000256
<b>eCl@ss 8.0/8.1:</b>	27142320
<b>eCl@ss 7.0/7.1:</b>	27210707
<b>eCl@ss 6.0/6.1:</b>	27210707
<b>eCl@ss 5.1/5.1.4:</b>	27180792
<b>Product description (long):</b>	SK speed control unit , for filter fans and Air/air heat exchanger, 100 - 230 V, WHD: 105 x 90.5 x 60.2 mm
<b>Approvals</b>	
<b>Approvals:</b>	UR
<b>Certificates:</b>	EAC
<b>Declarations:</b>	Declaration of conformity