

# Rittal – The System.

Faster – better – everywhere.

## ► C rails 30/15 to EN 60 715 for TS, SE – SZ 4947.000

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# C rails 30/15 to EN 60 715 for TS, SE – SZ 4947.000

created: 24.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

**Material:** Carbon steel

**Surface finish:** Zinc-plated

## Product features

**Suitable for:** Enclosure type: TS  
Enclosure type: SE  
Width: 1200 mm (47 ")  
Depth: 1200 mm (47 ")

**Dimensions:** Length: 1155 mm (45 ")

**Installation options:** On the vertical TS, SE enclosure section via snap-on nuts TS 8800.808 or adapter rail for PS compatibility.  
On the horizontal TS enclosure section  
In the case of SE, it may be additionally fitted to the horizontal section in the width at the bottom and top, or in the depth at the bottom (without the mounting plate) and at the top using snap-on nut 8800.808  
On base configuration rail for CM

**Packaging unit:** 6 pc(s).

**Weight/packaging unit:** 4.98 kg (11 lb.)

**EAN:** 4028177114654

**Customs tariff number:** 73269098

<b>ETIM 6.0:</b>	EC000386
<b>ETIM 5.0:</b>	EC000386
<b>eCl@ss 8.0/8.1:</b>	27400602
<b>eCl@ss 7.0/7.1:</b>	23159101
<b>eCl@ss 6.0/6.1:</b>	23159101
<b>eCl@ss 5.1/5.1.4:</b>	27189250
<b>Product description (long):</b>	SZ C rail 30/15 to EN 60 715, for TS, SE, for W/D: 1200 mm, L: 1155 mm