

Rittal – The System.

Faster – better – everywhere.

TP Consoles – TP 6740.500

Date : May 29, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



TP Consoles – TP 6740.500

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Material:	Housing: Carbon steel, 1.5 mm Door and console lid: Carbon steel, 2.0 mm, all-round foamed-in PU seal Mounting plate: Carbon steel, 3.0 mm
Surface finish:	Housing, cover and door: Dipcoat-primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
Color:	RAL 7035
Protection category IP to IEC 60 529:	IP 55 provided suitable base plates are selected
Protection category NEMA:	NEMA 12 providing suitable base plates are selected
IK code:	IK08
Supply includes:	Housing, solid back and sides Door or double door at front, with locking rod Mounting plate Cover hinged at rear, 2 stays with automatic locking. Unlatching automatically on the left, manually on the right Open base for individual cable entry
Note:	With the two-door variant, the base opening is divided in two; e VE base plates are required.
Base material:	Carbon steel

Product features

Dimensions:	Height: 973 mm (38 ")
--------------------	-----------------------

Width: 1000 mm (39 ")
Depth (top): 520 mm (20 ")
Depth (bottom): 400 mm (16 ")

Mounting plate:	Height: 900 mm (35 ") Width: 930 mm (37 ")
Number of doors:	2
Packaging unit:	1 pc(s).
Weight/packaging unit:	79 kg (174.2 lb.)
EAN:	4028177601239
Customs tariff number:	94032080
ETIM 6.0:	EC000784
ETIM 5.0:	EC000784
eCl@ss 8.0/8.1:	27180504
eCl@ss 7.0/7.1:	27180504
eCl@ss 6.0/6.1:	27180504
eCl@ss 5.1/5.1.4:	27180503
Product description (long):	TP One-piece console, WHD1: 1000x960x400/T2: 520 mm, Sheet steel
Approvals	
Approvals:	RRR UL + C-UL
Certificates:	IK-Code
Declarations:	Declaration of conformity Manufacturer's declaration