

# Rittal – The System.

Faster – better – everywhere.

## ► Ground rail, horizontal for TS, TS IT, SE – DK 7113.000

Date : May 29, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Ground rail, horizontal for TS, TS IT, SE – DK 7113.000

created: 29.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

**Description:** Current carrying capacity approx. 200 A.

**Supply includes:** Ground rail made from E-Cu 57 to DIN EN 12 163, DIN EN 13 601  
20 connection points with M5 screws  
2 ground connections 25 mm<sup>2</sup>  
2 isolators  
Assembly components

## Product features

**Suitable for:** Enclosure type: TS  
Width: 600 mm (24 ")  
Width: 800 mm (31 ")

**Dimensions:** Height: 5 mm  
Width: 15 mm  
Length: 450 mm (18 ")

**Packaging unit:** 1 pc(s).

**Weight/packaging unit:** 0.44 kg (1 lb.)

**EAN:** 4028177124943

**Customs tariff number:** 74199990

**ETIM 6.0:** EC000329

**ETIM 5.0:** EC000329

<b>eCl@ss 8.0/8.1:</b>	27400605
<b>eCl@ss 7.0/7.1:</b>	27400605
<b>eCl@ss 6.0/6.1:</b>	27400605
<b>eCl@ss 5.1/5.1.4:</b>	27189215
<b>Product description (long):</b>	DK Earth rail, horizontal, L: 450 mm, For W: 600/800 mm
<b>Approvals</b>	
<b>Certificates:</b>	EAC
<b>Declarations:</b>	Manufacturer's declaration