

Rittal – The System.

Faster – better – everywhere.

► Grounding Kit, Pre-Assembled for TS – DK 7829.100

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Grounding Kit, Pre-Assembled for TS – DK 7829.100

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description: For star grounding. With pre-assembled ground conductors to integrate an equipotential bonding strip in network enclosures.

Supply includes: Ground rail made from E-Cu 57 to DIN EN 12 163, DIN EN 13 601
16 grounding leads 6 mm²
2 isolators
Assembly components

Product features

Suitable for: Enclosure type: TS
Height: 2000 mm (79 ")
Width: 800 mm (31 ")
Depth: 800 mm (31 ")

Packaging unit: 1 pc(s).

Weight/packaging unit: 1.9 kg (4.2 lb.)

EAN: 4028177235274

Customs tariff number: 73269098

ETIM 6.0: EC000329

ETIM 5.0: EC002623

eCl@ss 8.0/8.1: 27400605

eCl@ss 7.0/7.1:	27149219
eCl@ss 6.0/6.1:	27149219
eCl@ss 5.1/5.1.4:	27189215
Product description (long):	DK-TS Earthing kit, pre-assembled, For WHD: 800x2000x ? 800 mm, For TS, TS IT
Approvals	
Certificates:	EAC