

# Rittal – The System.

Faster – better – everywhere.

## **Baying systems TS 8 Single – TS 8008.530**

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Baying systems TS 8 Single – TS 8008.530

created: 24.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

<b>Material:</b>	Enclosure frame: Carbon steel, 1.5 mm Roof: Carbon steel, 1.5 mm Door: Carbon steel, 2.0 mm Rear wall: carbon steel, 1.5 mm Base plates: Carbon steel, 1.5 mm Mounting plate: Carbon steel, 3.0 mm
<b>Surface finish:</b>	Enclosure frame: Dipcoat-primed Door, roof and rear panel: Dipcoat-primed, powder-coated on the outside, textured paint Mounting plate and base plates: Zinc-plated
<b>Color:</b>	RAL 7035
<b>Protection category IP to IEC 60 529:</b>	IP 55
<b>Protection category NEMA:</b>	NEMA 12
<b>Supply includes:</b>	Enclosure frame with door Roof plate Rear panel, detachable 4 eyebolts Lock: 3 mm double-bit Base Plates Mounting plate

## Product features

<b>Dimensions:</b>	Height: 2000 mm (79 ") Width: 1000 mm (39 ") Depth: 800 mm (31 ")
--------------------	---

<b>Number of doors:</b>	1
<b>Packaging unit:</b>	1 pc(s).
<b>Weight/packaging unit:</b>	161.4 kg (355.8 lb.)
<b>EAN:</b>	81068

**Approvals**

<b>Approvals:</b>	Bureau Veritas CSA DNV-GL Russian Maritime Register of Shipping TÜV    UL + C-UL
-------------------	--