Rittal – The System.

Faster – better – everywhere.

Busbar Supports 1pole – SV 9340.030



ENCLOSURES

POWER DISTRIBUTION >> CLIMATE CONTROL

) IT INFRASTRUCTURE > Software & Services

FRIEDHELM LOH GROUP

Busbar Supports 1-pole – SV 9340.030 created: 24.05.2018 build on www.rittal.com/us-en



Product description	
Material:	Polyamide (PA 6.6) Fire protection corresponding to UL 94-V0
Color:	RAL 7035
Note:	Multi-pole systems with 60 mm busbar center-to-center distances can be created by baying the busbar support When using 12 x 5/10 mm busbars, spacer 9340.090 is also required
Product features	
Suitable for busbars:	Type: Flat copper busbars With dimensions (mm): 12 x 5/10 With dimensions (mm): 15 x 5 - 30 x 10
Number of poles:	1-pole
Rated operating voltage:	1000 V, 1~ 1500 V (DC)
PEN/N/PE support:	yes
Packaging unit:	4 pc(s).
Weight/packaging unit:	0.23 kg (0.5 lb.)
EAN:	4028177583580

Customs tariff number:	85469010
ETIM 6.0:	EC001166
ETIM 5.0:	EC001166
eCl@ss 8.0/8.1:	27400607
eCl@ss 7.0/7.1:	27400607
eCl@ss 6.0/6.1:	27400607
e Cl@ss 5.1/5.1.4:	27370302
Product description (long):	SV Busbar support, 1-pole, for busbar WH: 12x5-30x10 mm
Approvals	
Approvals:	ABS Lloyds Register of Shipping UL + C-UL
Certificates:	EAC
Declarations:	Declaration of conformity