

# Rittal – The System.

Faster – better – everywhere.

## **Circuit-Breaker Component Adaptors 3-pole – SV 9345.710**

Date : May 29, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Circuit-Breaker Component Adaptors 3-pole – SV 9345.710

created: 29.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

**Material:** Polyamide (PA 6.6)  
Fire protection corresponding to UL 94-V0

**Color:** RAL 7035

**Supply includes:** Connection straps  
Sliding Blocks

**Note:** Cable outlet: Switch outlet or as outgoing cable from the switchgear  
The technical data may vary for UL applications.

**Note on Model No.::** The 9342.720 insert strip is also required when using Siemens VL630 switchgear

## Product features

**Suitable for busbars:** with cross-section height: 5 mm  
with cross-section height: 10 mm

**Number of poles:** 3-pole

**For bar systems with center-to-center spacing:** 60 mm

**Dimensions:** Height: 345 mm (14 ")  
Width: 140 mm (5.5 ")

**Rated operating** 690 V, 3~

<b>voltage:</b>	
<b>Rated current (max.):</b>	630 A
<b>Cable outlet:</b>	Bottom
<b>To fit manufacturer (model):</b>	ABB (S5, T5, T5 UL) Allen Bradley (140U-L) Eaton (NZM3, NZM3 UL/630 A) GE (FG630) Legrand (DPX 630) Mitsubishi (NF630-SEW/HEW/REW) OEZ (BH630N, BH630S) Schneider Electric (NS(X)630, NSJ600) Schrack (MC3) Siemens (VL630, 3VA24, 3VT3, 3V10 73, 3RV13 73, 3RV13 74, 3VA64) Terasaki (E630, S630)
<b>Packaging unit:</b>	1 pc(s).
<b>Weight/packaging unit:</b>	3.77 kg (8.3 lb.)
<b>EAN:</b>	4028177680012
<b>Customs tariff number:</b>	85369095
<b>ETIM 6.0:</b>	EC001531
<b>ETIM 5.0:</b>	EC001531
<b>eCl@ss 8.0/8.1:</b>	27370304
<b>eCl@ss 7.0/7.1:</b>	27400613
<b>eCl@ss 6.0/6.1:</b>	27400613
<b>eCl@ss 5.1/5.1.4:</b>	27370302
<b>Product description (long):</b>	SV Circuit-breaker component adaptor, 630 A, 690 V, 3-pole, cable outlet bottom, with connection straps

## Approvals

<b>Approvals:</b>	ABS DNV-GL UL + C-UL
<b>Certificates:</b>	EAC
<b>Declarations:</b>	Declaration of conformity