

Job Name:	Item Number:	
Specifier Name:	Sales Agency:	
Specifier Contact:	Agency Contact:	
Fixture Type:	Comments:	
Quantity:	Approval:	

#### 12V 1' LED Tape Strip 3000K



L: 12" W: 3/8" H: 1/8"

### Description

Ambiance LED Tape provides ultra-low profile LED linear lighting that can be mounted securely in numerous applications with its high-endurance 3M™ adhesive backing. Ambiance LED Tape is dimmable on magnetic and electronic low voltage systems. For magnetic systems, a standard incandescent or magnetic low voltage (MLV) dimmer can be used. For electronic, an electronic low voltage (ELV) dimmer is recommended.

<b>Specifications</b>
-----------------------

Item Number	98606SW-15
Finish	White
Dimensions	L: 12" W: 3/8" H: 1/8"
Voltage	12V
Color Temperature	3000°K
Lumens	150
Watts Consumed	3 watts
Efficacy	50.0 lm/w
Color Rendering	>85 CRI
Rated Average Life	50,000 hours to 70%
Safety Listing	cETL Listed for Damp Locations
Warranty	5-Year Limited Warranty

#### **Instruction Sheets**

• Trilingual (English, Spanish, and French) (HC-1894FS)

### **Available Photometry**

- LM79 Photometry
- Integrating Sphere Test
- IES File

# **Shipping Information:**

Package Type	Product #	Quantity	UPC	Length	Width	Height	Cube	Weight	UPS Ship
Individual	98606SW-15	1	785652158070	13.78	1.5	0.75	0.009	0.1	Yes
Master Pack	98606SW-15	10	10785652158077	14.25	4	1.75	0.058	0.8	Yes
Shipping Master	98606SW-15	200	20785652158074	18	15	8.75	1.367	17.6	Yes

#### **Photometric Diagram:**

# Zonal Lumen Summary

Lumens	% of Lamp					
40.8	26.0%					
67.1	42.8%					
119.8	76.5%					
155.8	99.5%					
0.8	0.5%					
156.6	100%					
	40.8 67.1 119.8 155.8 0.8					


## Average Luminance Table (cd/m²)

## Horizontal Angle (Degrees)

Vertical Angle (Degrees)

	0°	45°	90°
0°	18280	18280	18280
45°	13670	14340	17120
55°	12390	13020	16220
65°	10670	11150	14650
75°	8254	8326	11460
85°	5027	4321	2737

#### Polar Candela Chart



Photometry based on (1) 98606SW(-xx) 1' length 12V LED Tape section in 3000°K.

### Component Diagram:



# STEP 1

Choose LED Tape Strips Select tape length, voltage, color temperature and face color based on your desired specifications.



# STEP 2

Select Connectors & Cables
Determine required connectors and cuts
to achieve your system configuration.



# STEP 3

Select Transformers
Multiply the number of feet in your run
by 3 watts to determine transformer
size. Match voltage of the transformer
to your LED tape's voltage.



Optional Components
Mount tape with included
3M™ industrial adhesive
backing or mounting clips.



7400 Linder Ave. | Skokie, Illinois 60077 | 800-347-5483 © 2013 Sea Gull Lighting LLC, a Generation Brands Company.