Product data sheet Characteristics

LX1FH1272

TeSys F - contactor coil - LX1FH - 120...127 V AC 40...400 Hz

Product availability: Stock - Normally stocked in distribution facility

Price*: 138.00 USD



Main

IVIAIII		
Range	TeSys	
Product or component type	Contactor coil	
Device short name	LX1FH	
Range compatibility	TeSys F LC1F contactor	
Control circuit type	AC 40400 Hz	
[Uc] control circuit voltage	120127 V AC 40400 Hz	
Average resistance	22.9 Ohm inrush at 68 °F (20 °C) 536 Ohm holding at 68 °F (20 °C)	
Product compatibility	LC1F265 LC1F330	
Operating time	100170 ms opening 4065 ms closing	
Mechanical durability	10 Mcycles	
Operating rate	2400 cyc/h at <= 131 °F (55 °C)	

Complementary

Coil technology	Without built-in suppressor module	
Control circuit voltage limits	0.851.1 Uc at 131 °F (55 °C) operational 40400 Hz 0.350.55 Uc at 131 °F (55 °C) drop-out 40400 Hz	
Inrush power in VA	650 VA at 68 °F (20 °C) (cos φ 0.9) 40400 Hz	
Hold-in power consumption in VA	10 VA at 68 °F (20 °C) (cos φ 0.3) 40400 Hz	
Heat dissipation	8 W at 40400 Hz	. <u>e</u> .g

Environment

Ambient air temperature for operation	> 23131 °F (> -555 °C)	0
Product weight	1.65 lb(US) (0.75 kg)	200

Ordering and shipping details

Category	22341 - CONTACTOR,D,K,&F ACCESS
Discount Schedule	112
GTIN	00785901907114
Nbr. of units in pkg.	1
Package weight(Lbs)	1.890000000000001
Returnability	Υ
Country of origin	CZ

Contractual warranty

Warranty period	18 months
-----------------	-----------