

# LED T5

## L4T5E/835/27/F

### 27 Watt LED Retrofit T5 Frosted



- Electronic T5 PS ballast compatible
- PET/Glass construction - shatterproof

<b>Item #</b>	L4T5E/835/27/F-70
<b>Product Code</b>	77853
<b>UPC Code</b>	751338093195
<b>Watts</b>	27
<b>System Watts</b>	30
<b>Volts</b>	120-277 ballast
<b>Lamp Shape</b>	T5
<b>Base</b>	Mini Bi-Pin
<b>CRI</b>	80
<b>Color Temp</b>	3500K
<b>Initial Lumens</b>	3,100
<b>Beam Angle</b>	240°
<b>Average Rated Life</b>	50,000
<b>Ambient Temp Range</b>	-4°F to 104°F
<b>MOL</b>	48"
<b>Equivalent Wattage</b>	54WT5 HO
<b>Warranty</b>	5 years

Specifications are subject to change without prior notice.

Acceptable for enclosed fixtures.



[www.topaz-usa.com](http://www.topaz-usa.com)

**NY Office:** 925 Waverly Ave • Holtsville, NY 11742 • 800-666-2852 • Fax: 631-758-8026

**CA Office:** 225 Parkside Drive, San Fernando, CA 91340 • 888-551-2852 or 818-838-3123 • Fax: 888-690-2852 or 818-838-3102

**FL Office:** 2020 West 26th Street, Jacksonville, FL 32209 • 800-338-2852 • Fax: 772-778-5386



# LED T5

## L4T5E/840/27/F

### 27 Watt LED Retrofit T5 Frosted



- *Electronic T5 PS ballast compatible*
- *PET/Glass construction - shatterproof*

<b>Item #</b>	L4T5E/840/27/F-70
<b>Product Code</b>	77854
<b>UPC Code</b>	751338093218
<b>Watts</b>	27
<b>System Watts</b>	30
<b>Volts</b>	120-277 ballast
<b>Lamp Shape</b>	T5
<b>Base</b>	Mini Bi-Pin
<b>CRI</b>	80
<b>Color Temp</b>	4000K
<b>Initial Lumens</b>	3,200
<b>Beam Angle</b>	240°
<b>Average Rated Life</b>	50,000
<b>Ambient Temp Range</b>	-4°F to 104°F
<b>MOL</b>	48"
<b>Equivalent Wattage</b>	54WT5 HO
<b>Warranty</b>	5 years

Specifications are subject to change without prior notice.

Acceptable for enclosed fixtures.



[www.topaz-usa.com](http://www.topaz-usa.com)

**NY Office:** 925 Waverly Ave • Holtsville, NY 11742 • 800-666-2852 • Fax: 631-758-8026

**CA Office:** 225 Parkside Drive, San Fernando, CA 91340 • 888-551-2852 or 818-838-3123 • Fax: 888-690-2852 or 818-838-3102

**FL Office:** 2020 West 26th Street, Jacksonville, FL 32209 • 800-338-2852 • Fax: 772-778-5386



# LED T5

## L4T5E/850/27/F

### 27 Watt LED Retrofit T5 Frosted



- *Electronic T5 PS ballast compatible*
- *PET/Glass construction - shatterproof*

<b>Item #</b>	L4T5E/850/27/F-70
<b>Product Code</b>	77855
<b>UPC Code</b>	751338093232
<b>Watts</b>	27
<b>System Watts</b>	30
<b>Volts</b>	120-277 ballast
<b>Lamp Shape</b>	T5
<b>Base</b>	Mini Bi-Pin
<b>CRI</b>	80
<b>Color Temp</b>	5000K
<b>Initial Lumens</b>	3,300
<b>Beam Angle</b>	240°
<b>Average Rated Life</b>	50,000
<b>Ambient Temp Range</b>	-4°F to 104°F
<b>MOL</b>	48"
<b>Equivalent Wattage</b>	54WT5 HO
<b>Warranty</b>	5 years

Specifications are subject to change without prior notice.

Acceptable for enclosed fixtures.



[www.topaz-usa.com](http://www.topaz-usa.com)

**NY Office:** 925 Waverly Ave • Holtsville, NY 11742 • 800-666-2852 • Fax: 631-758-8026

**CA Office:** 225 Parkside Drive, San Fernando, CA 91340 • 888-551-2852 or 818-838-3123 • Fax: 888-690-2852 or 818-838-3102

**FL Office:** 2020 West 26th Street, Jacksonville, FL 32209 • 800-338-2852 • Fax: 772-778-5386